RSNA EXHIBITION SERVICES

820 Jorie Blvd., Suite 200, Oak Brook, IL USA 60523 Phone: 1-630-571-7850 | Email: Exhibits@RSNA.org RSNA.org /Exhibitors



Live Imaging/Scanning Request Form

Deadline: October 22, 2021

All scanning must be performed within the assigned booth space or vendor workshops during technical exhibit posted hours of operation. Exhibitors must adhere to the following live scanning regulations.

- Scanning device must have received FDA 510(K) Clearance. See RSNA Rules and Regulations for full clearance requirements.
- 2. Live scanning can be performed only by a qualified healthcare professional.
- 3. Live scanning must adhere to the "As Low as Reasonably Achievable (ALARA)" principles of limited exposure on appropriate body areas.
- Scanning is restricted to the following body regions: head, neck, upper abdomen and extremities.
- 5. Use of contrast material is strictly prohibited.
- 6. Companies are required to pre-scan all models with a physician present. Scanning of pregnant women and individuals under 18 years of age is prohibited. If a previously unknown pregnancy is detected during a scan, the scanning session must be terminated immediately.

- 7. Models must be registered through the exhibitor badge registration process. Models will not be permitted into the exhibit hall without the appropriate badge and must be properly attired. Loose sweatsuit, t-shirts, and sneakers are acceptable. Tight-fitting or otherwise inappropriate garments are not permitted.
- 8. Models must give consent to the exhibitor by signing a formal document that explains the nondiagnostic nature of the scan. Female models must also sign a formal document confirming that they are not pregnant. Each exhibitor must have a readily available written policy that explains how to deal with serious incidental findings.
- 9. Booth must be 400 square feet or larger.
- **10.** Demonstration areas must be set-back from aisles a minimum of five-feet to accommodate visitors and prevent traffic flow restriction in aisles.
- 11. Live scanning activity sound level should not exceed 80 decibels from the aisle to not disturb neighboring exhibitors.

Exhibiting Company Info	ormation			
Exhibiting Company		Official Contact	Booth Number	
Telephone (office)	Mobile	Email Address		
Live Scanning Informati	on			
1. Number of scanning station	ns/beds using live models			
2. Number of live scanning se	essions to be performed per day			
3. Description of live scanning	g procedure(s) to be performed			
4. Device used for scanning _				
I have read, understand and	agree to the RSNA Rules and Regulations	For RSNA Use On	For RSNA Use Only – Please do not write in this area	
pertaining to live imaging/sca	nning.	/ /	/ /	
Agreed to		Date Received	Response to Exhibiting Company	
X Signature of Main Exhibit Contact	Date	Approved: O Yes	O No	
3 0 1 1 1 1 man 2 man 3 0 max	54.	As noted:		

Reviewed by:

Signature of RSNA Contact

Date

Return your signed form to: RSNA Exhibition Services exhibits@rsna.org

Deadline: October 22, 2021

Note: Please allow 7–10 business days for processing